

**EXTECH®**

Q3 2025 - NPI LAUNCH DECK

# WATER QUALITY INDOOR AIR QUALITY REFRIGERANT LEAK DETECTION

Teledyne Confidential: Commercially Sensitive Business Data

# KEY FEATURES

**EXTECH®**



**EC700**

- Measure multiple parameters at once
- Optical DO probe improves performance and reliability



**CO270**

- Only battery-operated CO<sub>2</sub> meter in Extech portfolio
- Protection against theft and modification



**RD350**

- Higher sensitivity
- Replaces RD300 (discontinued July 2024)

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.

Teledyne Confidential - Commercially Sensitive Business Data

## 6-IN-1 WATER QUALITY METER WITH 3 PROBES

## One Tool for Multiple Parameters

- pH
- Conductivity
- TDS
- Salinity
- Dissolved Oxygen (DO)
- Temperature

## Easy to Use

- Large LCD Screen
- Stores and Recalls Readings

## Advanced Features

- Optical DO Probe
- Simultaneous Measurements
- Compensation for Air, Pressure and Salinity

| Ordering # | Model Description                        | UPC          | USD \$ MSRP |
|------------|------------------------------------------|--------------|-------------|
| EC700      | 6-in-1 Water Quality Meter with 3 Probes | 733950157008 | 699.00      |
| PH701      | Replacement pH Probe for EC700           | 733950150719 | 99.99       |
| DO701      | Replacement pH DO Probe for EC700        | 733950067017 | 99.99       |
| EC701      | Replacement Conductivity Probe for EC700 | 733950157015 | 349.99      |

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.

described herein may require US Government authorization for export.

**Teledyne Confidential; Commercially Sensitive Business Data**




# EC700

6-IN-1 WATER QUALITY METER WITH 3 PROBES

EXTECH<sup>®</sup>



Water Treatment Plants



Fish Farms

Local Governments | Private Companies

Freshwater | Marine

## Extech Features

All-in-one solution with interchangeable probes to measure pH, conductivity, TDS, salinity, and dissolved oxygen. Optical DO probe requires less frequent calibrations

## Personas

Wastewater Operator, Water Treatment Plant Operator, Plant Manager, and Water Quality Technician

Farm Managers, Technicians, Biologists, and Researchers

## Questions to Ask

Do you need to measure water quality? How frequently do you need to calibrate your Dissolved Oxygen meter? Do you carry multiple water quality meters for different parameters? Does your job involve monitoring water quality?

## The Extech EC700

The Extech EC700 Water Quality Tester Kit is your all-in-one solution. With interchangeable probes, it measures pH, conductivity, TDS, salinity, and dissolved oxygen—making it perfect for aquaculture, laboratories, water treatment plants, and more. Its rugged IP67 waterproof design, large LCD display, and auto temperature compensation ensure reliable results wherever you go

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.  
Teledyne Confidential, Commercially Sensitive Business Data

# CO270

BATTERY OPERATED AIR QUALITY CO<sub>2</sub> METER

**EXTECH**

## Compact and Versatile

- Battery Operated
- 1-Year Battery Life (ECO Mode)
- Desktop or Wall-Mount

## Multiple Measurements and Alarms

- Temperature / Humidity / Dew Point / CO<sub>2</sub> Levels
- Programmable Buzzer
- Visual Air Quality Indication

## Advanced Features

- Anti-theft Mounting Hardware Included
- Anti-modification feature
- Recall Peak and Average Measurements



| Ordering # | Model Description                                  | UPC          | USD \$ MSRP |
|------------|----------------------------------------------------|--------------|-------------|
| CO270      | Battery Operated Air Quality CO <sub>2</sub> Meter | 793950502709 | 169.99      |

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.  
Teledyne Confidential: Commercially Sensitive Business Data

BATTERY OPERATED AIR QUALITY CO<sub>2</sub> METER**EXTCH<sup>®</sup>**

## Facilities

Offices | Conference Rooms

Compact. Battery powered with up to 1 year battery life. Includes anti-theft and anti-modification features.

## Facilities Managers, Safety Professionals, Floor Supervisors

## Facility Managers, Safety Managers, Office Managers

Do you need to monitor temperature and humidity? Do you need to follow new regulations regarding employee comfort and safety? Do you keep track of temperature and humidity in your facility? Are workers complaining about high temperatures in the office? Do you have areas with high occupancy? Do you check for proper ventilation in indoor areas?

The Extech CO270 Air Quality Meter delivers precise CO<sub>2</sub>, humidity, dewpoint, and temperature readings—all powered by just three AAA batteries for up to a year. With a large, easy-to-read display, graphical air quality indicators, and anti-theft features, it's perfect for manufacturing sites, warehouses, schools, offices and healthcare facilities

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.

described herein may require US Government authorization for release.

**Teledyne Confidential; Commercially Sensitive Business Data**

# RD350

REFRIGERANT LEAK DETECTOR

**EXTECH**

## High Performance


- Heated Diode Gas Sensor
- High Sensitivity
- Detects All Common Refrigerant Gases

## Advanced Features

- 3 Sensitivity Levels
- Audible Alarm with Variable Intensity
- Flexible Gooseneck

## Includes Multiple Accessories

- Hard Carrying Case
- Reference Leak
- Batteries




| Ordering # | Model Description         | UPC          | USD \$ MSRP |
|------------|---------------------------|--------------|-------------|
| RD350      | Refrigerant Leak Detector | 793950513507 | 299.99      |

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.

Teledyne Confidential: Commercially Sensitive Business Data

## REFRIGERANT LEAK DETECTOR

**EXTCH<sup>®</sup>**

Commercial HVAC/R



## Residential HVAC

Air Conditioning | Refrigeration

## Air Conditioning

## Exttech Features

**Audible and visual alerts.** Highly sensitive with ambient concentration reset. Includes reference leak and hard carrying case

## Personas

HVAC Technicians, Refrigeration Technicians,  
HVAC Contractors, Automotive Air Conditioning  
Specialists, Facilities Managers

## HVAC Technicians, HVAC Contractors, Home Inspectors

## Questions to Ask

Do you troubleshoot HVAC systems? Do you inspect refrigeration systems? Are you currently using a freon leak detector? Are your customers noting that their air conditioner is not working well? Are your customers complaining about higher energy bills? Is ice building up in the evaporator coils?

## The Extech RD350

The Extech RD350 Refrigerant Leak Detector features a highly sensitive heated diode sensor. It detects a wide range of refrigerants—including R410A, R32, R134a, and more with a sensitivity of just 3g/year. Its tri-colored LED leak level indicator, variable audible alarm, and flexible 15.5" probe make pinpointing leaks effortless.

Proprietary - Company Confidential Copyright ©2024 Teledyne FLIR, LLC. All Rights Reserved. Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.

described herein may require US Government authorization for release.

**Teledyne Confidential; Commercially Sensitive Business Data**

**EXTECH<sup>®</sup>** | **TOUGH TOOLS<sup>™</sup>**  
**FOR TOUGH BUDGETS**

Teledyne Confidential: Commercially Sensitive Business Data